

2

Date: Friday, 12/7/2007 10:18:48 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : FLOAT SKIDTUBE RH 206A/B
 Job Number : 36177
 Estimate Number : 10802
 P.O. Number : N/A Part Number : D206642612
 This Issue : 12/7/2007 S.O. No. : N/A Drawing Number : N/A
 Prsht Rev. : NC Project Number : N/A
 First Issue : N/A Type : LANDING GEAR Drawing Revision : L
 Previous Run : 32454 Material : N/A
 Due Date : 1/10/2008 Qty: 1 Um: Each
 Written By :
 Checked & Approved By :
 Comment : Est Rev:B 05-10-27 Revised pick list KJ/EC
 Est Rev:C 07-02-23 As per IIN D206-642 Rev K JLM
 Est Rev:D 07-12-05 ECN 1080p Rev:L DD verified by:

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 DC DOCUMENT CONTROL



K-8 07.12.12

Comment: DOCUMENT CONTROL

Photocopy bluefile and create labels per PPP D206-642-612 CHG003

08/06/08

2.0 36177A FLOAT SKIDTUBE HIGH GEAR 206 A/B



Comment: Sub-Component FLOAT SKIDTUBE HIGH GEAR 206 A/B

D206-642-641 B 36177A

SQ

3.0 D206651041 206 A/B GHW Kit



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

1 D206651041 GHW Kit Batch: 1530235

SQ

4.0 D26652 Saddle, RH, Fwd, Aft, Out



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 D2665-2 Saddle 32623

SQ

5.0 D26662 Saddle, RH, Fwd, Aft, In



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 D2666-2 Saddle 1532625

7/12/13 SQ (14)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DCA: _____
 QA: N/C Closed: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:48 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

6.0	D2652	Bushing
-----	-------	---------



Comment: Qty.: 16.0000 Each(s)/Unit Total : 16.0000 Each(s)

Pick:

Qty Part Number Description Batch
16 D2652 Bushing 1335629

SP

7.0	D2712	Set Screw
-----	-------	-----------



Comment: Qty.: 10.0000 Each(s)/Unit Total : 10.0000 Each(s)

Pick:

Qty Part Number Description Batch
10 D2712 Set Screw 1334628

SP

8.0	D2884	Saddle Spacer
-----	-------	---------------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch
2 D2884 Saddle Spacer 1335491

SP

9.0	D2885	Saddle Spacer
-----	-------	---------------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch
2 D2885 Saddle Spacer 1334782

SP

10.0	D33963	Inventory
------	--------	-----------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch
2 D3396-3 Spacer 1334741

SP

11.0	AN3C36A	BOLT
------	---------	------



Comment: Qty.: 6.0000 Each(s)/Unit Total : 6.0000 Each(s)

Pick:

Qty Part Number Description Batch

1106849

7/12/13 SP (1x)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:48 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #: Machine Or Operation: Description :

6 AN3C36A Bolt

12.0

MS21250 03004

HIGH STEEL BOLT



Comment: Qty.: 6.0000 Each(s)/Unit Total : 6.0000 Each(s)

HIGH STEEL BOLT

batch M106277

SP

13.0

D36721

PHENOLIC WASHER



Comment: Qty.: 18.0000 Each(s)/Unit Total : 18.0000 Each(s)

PHENOLIC WASHER

batch M734470

SP

14.0

AN4C6A

Bolt



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

Pick:

Qty Part Number Description Batch

12 AN4C6A Bolt

M105426

SP

15.0

AN5C7A

BOLT



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 AN5C7A Bolt

M19185

SP

16.0

AN5C11A



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 AN5C11A Bolt

M105792

SP

17.0

AN5C32A



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 AN5C32A Bolt

M105156

7/12/13 SP (1X)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:48 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #: Machine Or Operation: Description:

18.0 AN5C35A



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part Number Description Batc

1 AN5C35A Bolt M15918

SD

19.0 AN5C13A



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

bolt

batch M104999

SD

20.0 AN6C44A

BOLT



Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

Qty Part Number Description Batc

2 AN6C44A Bolt M106519

SD

21.0 AN3C41A

BOLT



Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s)

BOLT

batch M105858

SD

22.0 AN960C10L

washer



Comment: Qty.: 30.0000 Each(s)/Unit Total: 30.0000 Each(s)

Pick:

Qty Part Number Description Batch

30 ~~18~~ AN960C10L Washer M106302

SD

23.0 AN960C416L

WASHER



Comment: Qty.: 24.0000 Each(s)/Unit Total: 24.0000 Each(s)

Pick:

Qty Part Number Description Batch

24 AN960C416L Washer M105753

M105753

7/12/13 SD (12)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:49 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #: Machine Or Operation: Description :

24.0

AN960C516L

WASHER



PHO →

Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Pick:

Qty Part Number Description Batch

8 AN960C516L Washer M103304

SC

25.0

AN960C616

WASHER



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 AN960C616 Bolt M19185

SC

26.0

MS210433

Nut



Comment: Qty.: 17.0000 Each(s)/Unit Total : 17.0000 Each(s)

Pick:

Qty Part Number Description Batch

17 MS21043-3Nut M105792

SC

27.0

MS210434

Nut



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

Pick:

Qty Part Number Description Batch

12 MS21043-4Nut M105792

M105793

SC

28.0

MS210435

Nut



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part Number Description Batch

4 MS21043-5Nut M105430

SC

29.0

MS210436

NUT



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

7/12/13 SC (X)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: 1206-642-612 PAR #: MA Fault Category: Prod/Packaging NCR: Yes No DQA: LD Date: 08/01/09
 QA: N/C Closed: JA Date: 08.01.09

NCR: <u>36177</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
08/01/09	24.	no Batch number or part number was written on the kit R.C. Hummer error	<u>Reswer</u>	write correct part and Batch numbers on the kit.	<u>Sp</u>	<u>08/01/08</u>	<u>Reswer</u>	<u>08/01/08</u>

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:49 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #: Machine Or Operation: Description :

2 ms21043-6 Nut

30.0

AN960JD10

Washer



Comment: Qty.: 6.0000 Each(s)/Unit Total : 6.0000 Each(s)

Washer

batch

M105792

SP

31.0

D36831

INSERT



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

INSERT

batch

B36319 AS 08/01/08

32.0

D36727

PHENOLIC WASHER



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

PHENOLIC WASHER

batch

B35522

SP

33.0

D36725

PHENOLIC WASHER



Comment: Qty.: 16.0000 Each(s)/Unit Total : 16.0000 Each(s)

PHENOLIC WASHER

batch

B35521

SP

34.0

D36723

PHENOLIC WASHER



Comment: Qty.: 24.0000 Each(s)/Unit Total : 24.0000 Each(s)

PHENOLIC WASHER

batch

34471

SP 7/12/13 (1X)

35.0

MS27039C105

SCREW



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

SCREW

batch

M106574

7/12/13 SP (1X)

36177A

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:18:49 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE RH 206A/B

*Job Number: 36177

Part Number: D206642612

Job Number:



Seq. #:

Machine Or Operation:

Description :

36.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

5 08/01/08 ED

37.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D206-642-612

Location: _____

PPP Rev: _____

C

8/1/8 SD (1X)

38.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

12 08/01/07

Job Completion



U 88-01-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ASAP

Dart Aerospace Ltd.

2

Date: Friday, 12/7/2007 10:19:21 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : FLOAT SKIDTUBE HIGH GEAR 206 A/B
 Job Number : 36177A
 Estimate Number : 10803
 P.O. Number : *NA*
 This Issue : 12/7/2007 S.O. No. : *NA*
 Prsht Rev. : NC
 First Issue : *NA* Type : LANDING GEAR
 Previous Run : 36176A
 Written By :
 Checked & Approved By :
 Comment : Est Rev:B 05.11.15 Added washers for aft cap, wearshoes and ring EC
 Est Rev:C 06-05-31 Revised steps JLM
 Est Rev:D 07-02-22 Added SS Wearplates & Gaskets JLM
 Est Rev:E 07-12-06 ECN 1080p DD verified by:
 Part Number : D206642641
 Drawing Number : D3288 REV F
 Project Number : N/A
 Drawing Revision : *W*
 Material : *NA*
 Due Date : 1/10/2008 Qty: 1 Um: Each



Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 DC DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile and create labels per PPP D206-642-641 CHG003

2.0 D2620 Bent 206 Skidtube



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2620 3" OD Bent Tube

B 34693 ①

7-12-10

3.0 D2647 Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2647 Fwd Cap

B 29328

BE 7-12-10

4.0 D32861 Doubler



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 D3286-1 Doubler

B 32514 ②

7-12-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Deburr FWD edge of tube, grind bending marks.

2-Remove ridge on inside of fwd edge of tube as per Dwg D3288.

3-Weld Fwd Cap as per Dwg D3288, Grind to obtain proper fit

A/R AL ROD

Batch:

M-106035 / M-105138 BE 7-12-10

4-Grind welds flush to cap on top surface only.

5-Cut Aft end as per Dwg D3288 from front of tube then deburr

6-Remove inner indexing ridge on aft end as per Dwg d3288

7-Open holes for aft cap as per Dwg D3288 using Dt8025

8-Drill pilot holes using DT8818

9-Insert D3286-1 doubler using DT8732 & DT8879, then locating doubler off the D3286-1 doubler, leave Dt8732 for added support

3/16" holes cleco

10-Drill D3286-1 doubler rivet holes in tube using #40 drill, spot drilling doubler at the same time.

11-Working from center out, drill #30 holes into D3286-1 Doubler. cleco each hole after its drilled, Verify angle of holes to accomodate rivet heads.

12-Remove 3/16" clecos only and open GHW holes to .500" as per Dwg D3288.

13-Remove D3286-1 doubler, identify orientation, deburr then attach to W/O

14-Remove indexing edge as per Dwg D3288.

15-C'sink rivet holes as per Dwg D3288.

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

6.7/12/1200

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



AW M
07-12-13



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

DD 7-12-13

9.0

CR3212404

Cherry Rivet



Comment: Qty.: 52.0000 Each(s)/Unit Total : 52.0000 Each(s)

Pick:

Qty Part Number

Description Batch

52 CR3212-4-04

Rivet

M102809

(58) K 7-12-13

10.0

D3289041

Float Web (206A/B)



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number

Description Batch

1 D3289-041 Float Web

B36187

(1) K 7-12-13

11.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open Holes to finished size as per Dwg D3288. Debur.

2-Locate, install and rivet doublers as per Dwg D3288. Micro-shave rivets as required.

3-Bond web in place as per Dwg D3288 & QSI 015.

A/R Sikaflex-291

M105488

Sikaflex expire date:

8-7-1

Start: 7-12-13

Time: 2:15

Finish: 7/12/14

Time: 10:15 AM

(Adhere for 12 hours)

K
7-12-13

12.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

8 4/12/14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

13.0	BENDING	BENDING MACHINE
------	---------	-----------------



Comment: BENDING MACHINE

Bend tube using program D3288 as per Dwg D3288. Install drop pins in cross bolt spacer holes to maintain web position.

EL/ID 7-12-18

14.0	LANDING GEAR 1	LANDING GEAR RESOURCE 1
------	----------------	-------------------------



Comment: LANDING GEAR RESOURCE 1

1-Drill pilot holes for wearplates using D3288-T2 as per Dwg D3288, then open to Ø0.297". (without cutting fluid)

DEBURR INSIDE OF HOLE AS NECESSARY (DO NOT ENLARGE HOLES)

2-C'sink X-bolt holes.

3-Deburr

W
7-12-18

15.0	D2649	Crossbolt Spacer
------	-------	------------------



Comment: Qty.: 9.0000 Each(s)/Unit Total : 9.0000 Each(s)

Pick:

Qty Part Number Description Batch

9 D2649 Crossbolt spacer

B34508

BE 07/12/19

16.0	D32751	Crossbolt Spacer
------	--------	------------------



Comment: Qty.: 9.0000 Each(s)/Unit Total : 9.0000 Each(s)

Pick:

Qty Part Number Description Batch

9 D3275-1 Crossbolt spacer

B34619

BE 07/12/19

17.0	D32863	Spacer
------	--------	--------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 D3286-3

Spacer

B35048

BE 07/12/27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

18.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Insert D2649 & D3275-1 crossbolt spacers. Weld as per QSI 004 and Dwg D3288. Remember to back drill each hole before welding the other side. Use aluminum rod.

A/R Aluminum Rod M10.5138 BE 07-12-19

2-Using DT8733, insert (2) D3286-3 spacers as per QSI 004 and Dwg D3288. Remember to back drill each hole to Ø0.402" before welding other side. Use SS rod as required

A/RSS Rod NONE BE 07-12-27

3-Grind welds flush to Fwd cap on top surface only.

4-Grind cross bolt welds flush as per Dwg D3288. Masking Tape access to inside of the skidtube

5-Counterbore 5/16" x 0.750" deep using DT8747, except 8th cross bolt hole from Aft end, as per Dwg D3288.

M 7-12-20
M 7-12-20
8-1-2

19.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

ID 08-01-03(1)

20.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

5 08/01/03 (1)

21.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Pressure wash as per QSI 005

FL 08/01/07 (1)

22.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

BR 08-01-07 (1)

23.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

FL 08/01/08 (1)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

24.0	D3415041	Nut Plate
------	----------	-----------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D3415-041 Nut Plate

B33842

FL

25.0	CCR264SS33	Cherry Rivet
------	------------	--------------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 CCR264SS3-3 Rivet

m103525

FL

26.0	CR3212403	Cherry Rivet
------	-----------	--------------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 CR3212-4-03 Rivet

m15918

FL

27.0	ALS71032130	Insert
------	-------------	--------



Comment: Qty.: 64.0000 Each(s)/Unit Total : 64.0000 Each(s)

Insert

Batch: m105729

FL

28.0	HAND FINISHING1	HAND FINISHING RESOURCE #1
------	-----------------	----------------------------



Comment: HAND FINISHING RESOURCE #1

1-Install D3415-041 Nut Plate as per Dwg D3288, Install with LPS-3

A/R LPS-3 Batch: m106096

2-Install inserts Dwg D3288. Use a drop of Sikaflex inside insert holes

A/R Sikaflex-291 m105585

Sikaflex expire date: 08-07

FL 08/01/08

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
08/01/08	27.1	D36831 Qty: 12 Batch: <u>D36319</u> FL	FL	08/01/08	12.		↓ 08/01/08
		Already changed					

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

29.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP
Inserts & Nut plate

5 08/01/08

30.0

D353515

WEARSHOE



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARSHOE
Batch: *D34624*

Fxl

31.0

D353521

WEARSHOE



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARSHOE
Batch: *D31991*

Fxl

32.0

D353535

WEARSHOE



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARSHOE
Batch: *D34983*

Fxl

33.0

D353541

WEARSHOE



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARSHOE
Batch: *D31993*

Fxl

34.0

D353615

GASKET



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
GASKET
Batch: *D33964*

Fxl

35.0

D353621

GASKET



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
GASKET
D31995

Fxl 08/01/08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

36.0	D353635	GASKET
------	---------	--------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
GASKET
Batch: 036017

FL

37.0	D353641	GASKET
------	---------	--------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
GASKET
Batch: 031997

FL

38.0	D35371	WEARPAD
------	--------	---------



Comment: Qty.: 7.0000 Each(s)/Unit Total : 7.0000 Each(s)
WEARPAD
Batch: 036040

FL

39.0	D35373	WEARPAD
------	--------	---------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
WEARPAD
Batch: 033869

FL

40.0	AN3C4A	BOLT
------	--------	------



Comment: Qty.: 66.0000 Each(s)/Unit Total : 66.0000 Each(s)
BOLT
Batch: m106553

FL

41.0	D36721	PHENOLIC WASHER
------	--------	-----------------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)
Washer
batch: _____

PHO



42.0	AN960C10L	washer
------	-----------	--------



Comment: Qty.: 66.0000 Each(s)/Unit Total : 66.0000 Each(s)
Pick:
Qty Part Number Description Batch
66 AN960C10L Washer m106662

FL 08/01/08

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
08/01/08	41	change D36721 for NAS1515H3L all ready changed	FL	08/01/08	2.		 08/01/08	
08/01/08	41.1	ms27039C10-5 screw. all ready changed	FL	08/01/08	12.		 08/01/08	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

43.0

D34131

Ring



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D3413-1 Ring

B34753

FL

44.0

AN4C5A

BOLT



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 AN4C5A Bolt

M18918

FL

45.0

AN960C416

washer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

washer

batch:

M100993

FL

46.0

D2646

Aft Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2646 Aft Cap

D36184

FL

47.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

2-Install wearshoes/weepads & Gaskets as per Dwg D3288.

3-Install Ring on Nut Plate as per detail F & Dwg D3288.

4-Spray inside tube with LPS-3 on both sides of web

M106096

5-Install D2646 Aft Cap and seal with Sikaflex. Clean excess adhesive.

A/R Sikaflex-291

Sikaflex expire date:

M105575
08-07

6-Coat all exposed fastners with LPS Procyon, remove any excess on powder coat with MEK Degreasser.

FL 08/01/08 *(1)*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: D Date: 08/01/09
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 12/7/2007 10:19:21 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOAT SKIDTUBE HIGH GEAR 206 A/B

Job Number: 36177A

Part Number: D206642641

Job Number:



Seq. #:

Machine Or Operation:

Description :

A/R LPS Procyon Batch: m104251

FL 08/01/08 (1)

48.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/01/08 (1)

49.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D206-642-641

Location:

PPP Rev:

APP 36177

8/1/8 500 (17)

50.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/01/09 (1)

Job Completion



U 08.01.09
POSITIVE RECALL
EFFECTIVE 07/2.07 AUTH U
RELEASED U DATE 08.01.08

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

NO. 134

AWS D17.1.2001
QUALIFICATION TEST RECORD

Name Barclay Elliot
Joint Welding Procedure E1
Part number and Job number D20642241 / B35155

TEST WELDS REQUIRED

BASE METAL Aluminum WELDING PROCESS E1
Penetration Complete ☒ Partial ☐ Single Weld ☒ Double Weld ☐
Current AC ☒ DC ☐ Backing YES ☐ NO ☒

	Position	Vertical	Down <input type="checkbox"/>	Up <input type="checkbox"/>
Sheet Groove	1G <input type="checkbox"/>	2G <input type="checkbox"/>	3G <input type="checkbox"/>	4G <input type="checkbox"/>
Tube Groove	1G <input type="checkbox"/>	2G <input type="checkbox"/>	5G <input type="checkbox"/>	6G <input type="checkbox"/>
Sheet Fillet	1F <input type="checkbox"/>	2F <input type="checkbox"/>	3F <input type="checkbox"/>	4F <input type="checkbox"/>
Tube Fillet	1F <input type="checkbox"/>	2F <input type="checkbox"/>	4F <input type="checkbox"/>	5F <input type="checkbox"/>


Crossbolt Spacer Welded into Skidtube

TEST RESULTS


Visual Pass ☒ Fail ☐
Penetration Pass ☒ Fail ☐
Crossbolt Spacer Pass ☒ Fail ☐

The above named individual is qualified in accordance with AWS D17.1.2001 to weld


Date of Test Coupon 07-12-04 Qualifier Det. Duval



D3288-041 DRILLING/WEB ASSEMBLY DETAIL



D3288-041 BENDING DETAIL



D3288-041 WELDING DETAIL/SKIDTUBE ASSEMBLY


Qty	Part Number	Description
X	D3288-041	SKIDTUBE ASSEMBLY
1	D2600-1-240	EXTRUSION
1	D2646	AFT CAP
1	D2647	CAP
9	D2649	CROSS BOLT SPACER
6	D3275-1	CROSS BOLT SPACER
2	D3286-1	DOUBLER
2	D3286-3	SPACER
1	D3289-041	FLOAT WEB
1	D3413-1	RING
1	D3415-041	NUT PLATE
1	D3535-15	WEARSHOE
1	D3535-21	WEARSHOE
1	D3535-35	WEARSHOE
1	D3535-41	WEARSHOE
1	D3536-15	GASKET
1	D3536-21	GASKET
1	D3536-35	GASKET
1	D3536-41	GASKET
7	D3537-1	WEARPAD
1	D3537-3	WEARPAD
12	D3683-1	INSERT
64	ALS7-1032-130	INSERT (or AKS4-1032-130, ALS4-1032-130, AELS-1032-130)
66	AN3C4A	BOLT
1	AN4C5A	BOLT
1	AN960C416	WASHER
78	AN960C10L	WASHER
2	CCR264SS3-3	RIVET
2	CR3212-4-03	RIVET
52	CR3212-4-04	RIVET
12	MS27039C1-05	SCREW (or AN3C3A BOLT)
2	NAS1515H3L	WASHER

GENERAL NOTES:

- FINISH: - ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1
- POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
- SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.
- DAMAGE TOLERANCE ON FWD BEND:
THERE SHOULD BE NO VISIBLE WRINKLES IN THE BEND FROM THE GROUND TO A HEIGHT OF 5 INCHES ABOVE THE GROUND. IT IS ACCEPTABLE TO POLISH OUT GOUGES UP TO 0.020 DEEP IN THE BENT PORTION OF THE TUBE. A MAXIMUM REDUCTION IN DIAMETER OF 0.150" IS ACCEPTABLE IN THE BENT PORTION OF THE TUBE.
- BOND D3289-041 FLOAT WEB INTO D3288-1 OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241/291 ADHESIVE PER DART QSI 015. ENSURE HOLES LINE-UP.
- ALL HOLES DRILLED ON CENTERLINES.
- DRILL Ø0.297 HOLES FOR D3683-1 INSERTS BEFORE FINISH. INSTALL D3683-1 INSERTS AFTER FINISH.
- DRILL Ø0.297 HOLES FOR ALS7-1032-130 INSERTS USING DT3288-1T2 BEFORE FINISH. INSTALL ALS7-1032-130 INSERTS AFTER FINISH. SEAL WEARSHOE BOLTS WITH SIKAFLEX-241/291.
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- WELDING: PER DART QSI 004.

F	SUBSTITUTE FLOAT BAG INSERT W/SPEC CTRL DWG WAS ALS7-1032-130; IS NOW D3683-1	DC	07.11.21
E	MID-FLOAT HOLES WERE MOVED 2.00" FWD AND ROTATED INBOARD AND OUTBOARD BY 17° INSERTS ARE NOW INSTALLED AT THESE LOCATIONS	MB	07.09.14
D	DIMENSIONS ADDED	DC	07.06.04
C	NEW INSERTS, SS WERSHOES AND GASKETS	PH	06.12.19
B	CHANGE INSERTS	CP	05.03.18
A	NEW ISSUE	CP	04.05.17
REV.	DESCRIPTION	BY	DATE
DESIGN	DC		
DRAWN	DC		
CHECKED	DC		
MFG. APPR.	DC		
APPROVED	DC		
DE APPR.	DC		
DATE	07.11.21		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D3288	REV. F SHEET 1 OF 2
TITLE SKIDTUBE ASSEMBLY	SCALE 1:15
COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DETAIL A: DRILL DETAIL

AN3C4A BOLT (1)
AN960C10L WASHER (1)
NAS1515H3L WASHER (1)
(2 PLACES)
INSTALL WITH SIKAFLEX-241/-291

DRILL Ø0.208 THRU PRIOR
TO INSTALLING D2646 CAP

BORE OUT END OF SKIDTUBE
TO 0.75 DEPTH AND 0.070 WALL

DETAIL E


SEAL WITH
SIKAFLEX-241/291

D2646 CAP

0.400

DRILL #30
C'SINK Ø0.229x100°
INSTALL CR3212-4-04
RIVET (26 PER DOUBLER)


D3286-1
DOUBLER (2)
(1 PER SIDE)




ENLARGE TO Ø0.500 IN D3286-1
ENLARGE TO Ø0.625 IN TUBE
(2 PLACES PER SIDE)

DETAIL G
SCALE 1:5

AFTER FINISH, INSTALL
D3683-1 INSERT
AND PLUG INSERTS USING
MS27039C1-05 SCREWS
AND AN960C10L WASHERS
(12 PLACES)




SECTION J-J




SECTION B-B
FOR Ø0.375 HOLES ONLY
(TYP, 9 PLACES)

AFTER DRILLING AND BENDING
ASSEMBLY, PERFORM THE
FOLLOWING FOR Ø0.375
HOLES ONLY:
1. CHAMFER HOLE 0.030x45°
2. INSERT D2649 SPACER
3. WELD INTO PLACE AND
GRIND FLUSH
4. C'BORE TO Ø0.313x0.75 DEEP




SECTION C-C
FOR Ø0.313 HOLES ONLY
(TYP, 6 PLACES)



SECTION D-D
FOR WEARSHOES INSTALL ONLY
(TYP, 32 PLACES)

GASKET
WEARSHOE
WEARPAD
(REF)


ALS7-1032-130 INSERT (1)
AN3C4A BOLT (1)
AN960C10L WASHER (1)
(64 PLACES)



DETAIL F NOTES

1. CUT TUBE LEVEL
2. REMOVE RIDGE ON FWD SIDE
3. LOCATE D2647 (TRIM AS NECESSARY)
4. WELD D2647 IN PLACE PER DART QSI 004
5. GRIND FLUSH
6. RIVET D3415-041 NUT PLATE IN PLACE
NOTE: MASK THREADS IN D3415-041
PRIOR TO FINISH

DETAIL F: END FINISHING DETAIL




SECTION H-H
NOT TO SCALE

TO INSTALL D3286-1/3:
1. GRIND OFF FLANGE IN AREA SHOWN, FLUSH
WITH ROUND TUBE
2. LOCATE & DRILL D3286-1 DOUBLER
USING DT3286-1T1
3. ENLARGE HOLES IN D3286-1 TO Ø0.500
4. ENLARGE HOLES IN TUBE TO Ø0.625
5. RIVET D3286-1 TO TUBE
6. INSERT D3286-3 SPACER
7. WELD IN PLACE AND GRIND FLUSH


PRELIMINARY ISSUE
07.11.30 DC

DESIGN	9	DART AEROSPACE LTD	
DRAWN	DC	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. F
MFG. APPR.	EP	D3288	SHEET 2 OF 2
APPROVED	JP	TITLE	SCALE
DE APPR.	+	SKIDTUBE ASSEMBLY	1:3
DATE	07.11.21	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

SPECIFICATION CONTROL DRAWING



D3683-X INSERT



DART P/N	THREAD SIZE	"D" MAX	"HD" ±0.015	"HH"	"L" ±0.015	POSSIBLE SUPPLIERS
D3683-1	#10-32	Ø0.296	Ø0.415	0.030	0.475	AVIBANK MFG INC P/N: ALS7-1032-130 ALS4-1032-130 AKS7-1032-130 AKS4-1032-130 ATLAS ENGINEERING: AELS-1032-130 SPAENAU INC: 215-074

9

PRELIMINARY ISSUE
07.11.30 DC

- NOTES:**
- 1) MATERIAL: C-1010 OR C-1008 STEEL
 - 2) FINISH: CAD PLATED PER QQ-P-416 TYPE II (GOLD) CLASS 2
WITH CLEAR PROTECTIVE COATING
OR
ZINC YELLOW PLATED PER ASTM-B633, FE/ZN 8, TYPE II
WITH CLEAR PROTECTIVE COATING (OPTIONAL)
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: N/A
 - 8) THREADS: UNIFIED, CLASS 2B PER ASME B1.1
 - 9) A CERTIFICATE OF CONFORMITY IS REQUIRED FROM THE MANUFACTURER
TO VERIFY MATERIAL, FINISH, AND THREADS ARE PER THIS DWG

A	NEW ISSUE	DC	07.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN	DC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	RH	DRAWING NO.	REV. A
MFG. APPR.	150	D3683	SHEET 1 OF 1
APPROVED	11/11	TITLE	SCALE
DE APPR.	*	INSERT	NTS
DATE	07.11.21	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

